

Botanitech CBD100 Isolate (‘CBD100 Isolate’) Medicinal Cannabis Oil

Consumer Medicine Information (CMI) summary

The [full CMI](#) on the next page has more details. If you are worried about using this medicine, speak to your doctor or pharmacist.

This medicine is new or being used differently. Please report side effects. See the [full CMI](#) for further details.

1. Why am I using CBD100 Isolate?

CBD100 Isolate contains the active ingredient cannabidiol (CBD). CBD100 Isolate is not approved for any specific indication and should only be used to treat specific conditions or symptoms authorised by your doctor.

For more information, see Section [1. Why am I using CBD100 Isolate?](#) in the full CMI.

2. What should I know before I use CBD100 Isolate?

Do not use if you have ever had an allergic reaction to CBD100 Isolate or any of the ingredients listed at the end of the CMI.

Talk to your doctor if you have any other medical conditions, take any other medicines, or are pregnant or plan to become pregnant or are breastfeeding.

For more information, see Section [2. What should I know before I use CBD100 Isolate?](#) in the full CMI.

3. What if I am taking other medicines?

Some medicines may interfere with CBD100 Isolate and affect how it works.

A list of these medicines is in Section [3. What if I am taking other medicines?](#) in the full CMI.

4. How do I use CBD100 Isolate?

CBD100 Isolate is for oral use only. Use the included oral dosing syringe to measure the dose prescribed by your doctor. More instructions can be found in Section [4. How do I use CBD100 Isolate?](#) in the full CMI.

5. What should I know while using CBD100 Isolate?

Things you should do	<ul style="list-style-type: none">• Remind any doctor, dentist, or pharmacist you visit that you are using CBD100 Isolate.• Tell your doctor if you are pregnant or planning to become pregnant. Tell your doctor if you become pregnant while taking CBD100 Isolate.• Take CBD100 Isolate as your doctor has prescribed.• Tell your doctor if your symptoms do not improve.
Things you should not do	<ul style="list-style-type: none">• Do not stop using this medicine suddenly (if relevant).• Do not take CBD100 Isolate if you have an allergy to cannabis or cannabis-based medications.• Do not take CBD100 Isolate after the use-by (expiry) date printed on the packaging or if the packaging shows signs of tampering.• Do not take CBD100 Isolate if you are pregnant, planning to become pregnant, or breastfeeding.• Do not take this medicine to treat any other complaint unless your doctor says it is safe.• Do not give this medicine to anyone else, even if they have the same condition as you.
Driving or using machines	<ul style="list-style-type: none">• Be careful before you drive or use any machines or tools until you know how CBD100 Isolate affects you.• As CBD100 Isolate is a cannabis-based medicine and may contain low levels of delta-9-tetrahydrocannabinol (THC), you should also consider any local state laws concerning driving.
Drinking alcohol	<ul style="list-style-type: none">• Take special care if you drink alcohol while taking this medicine.
Looking after your medicine	<ul style="list-style-type: none">• Store it in a cool dry place away from moisture, heat, or sunlight.• Keep CBD100 Isolate where children cannot see it or reach it.

For more information, see Section [5. What should I know while using CBD100 Isolate?](#) in the full CMI.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary. However, some side effects may need medical attention. You are more likely to get side effects when you start your treatment. They are usually mild and wear off within a few hours.

Do not be alarmed by these lists of possible side effects. You may not experience any of them. Ask your doctor or pharmacist to answer any questions you may have.

Tell your doctor if you notice any of the following side effects and they worry you:

- daytime drowsiness
- fatigue
- headache
- nausea
- abdominal pain/discomfort
- dizziness
- dry mouth
- increased appetite
- diarrhoea

Tell your doctor immediately or go to the Emergency Department at your nearest hospital if any of the following happen:

- you develop signs of allergy such as swelling of the face, lips, mouth, tongue, throat, or other part of the body; shortness of breath or difficulty breathing; rash, itching or redness on the skin.

For more information, including what to do if you have any side effects, see Section [6. Are there any side effects?](#) in the full CMI.

This medicine is subject to additional monitoring. This will allow quick identification of new safety information. You can help by reporting any side-effects you may get. You can report side effects to your doctor, or directly on [1800 654 327](tel:1800654327) or via medical@Botanitech.com.au

Botanitech CBD100 Isolate

(‘CBD100 Isolate’)

Active ingredient(s): cannabidiol (CBD)

Consumer Medicine Information (CMI)

This leaflet provides important information about using CBD100 Isolate. **You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using CBD100 Isolate.**

Where to find information in this leaflet:

- [1. Why am I using CBD100 Isolate?](#)
- [2. What should I know before I use CBD100 Isolate?](#)
- [3. What if I am taking other medicines?](#)
- [4. How do I use CBD100 Isolate?](#)
- [5. What should I know while using CBD100 Isolate?](#)
- [6. Are there any side effects?](#)
- [7. Product details](#)

1. Why am I using CBD100 Isolate?

CBD100 Isolate contains the active ingredient cannabidiol (CBD).

CBD100 Isolate is not approved for any specific indication and should only be used to treat specific conditions or symptoms prescribed by your doctor.

CBD100 Isolate may be used to:

- Reduce symptoms of anxiety and/or stress
- Reduce symptoms of PTSD
- Improve sleep disturbances
- Relieve chronic pain

Your doctor may prescribe CBD100 Isolate for another purpose.

Ask your doctor if you have any questions about why CBD100 Isolate has been prescribed for you.

CBD100 Isolate is an alternative therapeutic option when medicines and lifestyle treatments have not been beneficial. The therapeutic benefit of CBD100 Isolate may vary between individuals.

This medicine is only available with a doctor’s prescription.

2. What should I know before I use CBD100 Isolate?

Warnings

Do not use CBD100 Isolate if:

- you are allergic to cannabis, cannabis-based medications, or any of the ingredients listed at the end of this leaflet.
- you are pregnant, planning to become pregnant, or breastfeeding.

Always check the ingredients to make sure you can use this medicine.

Check with your doctor if you:

- have any other medical conditions such as:
- allergies to any other medicines
- any problem with your liver
- any problems with your kidney
- any problems with your heart
- gastrointestinal obstruction
- any previous psychotic or concurrent disorder
- any other medical conditions
- take any medicines for any other condition
- substance use disorder (abuse, dependence) to alcohol, opioids, benzodiazepines, or illicit stimulants.

During treatment, you may be at risk of developing certain side effects. It is important you understand these risks and how to monitor for them. See additional information under Section [6. Are there any side effects?](#)

Pregnancy and breastfeeding

Check with your doctor if you are pregnant or intend to become pregnant.

Talk to your doctor if you are breastfeeding or intend to breastfeed.

Driving or using machines

Be careful before you drive or use any machines or tools until you know how CBD100 Isolate affects you.

As CBD100 Isolate is a cannabis-based medicine and may contain low levels of delta-9-tetrahydrocannabinol (THC), you should also consider any local state laws concerning driving.

3. What if I am taking other medicines?

Tell your doctor or pharmacist if you are taking any other medicines, including any medicines, vitamins or supplements that you buy without a prescription from your pharmacy, supermarket or health food shop.

You should also tell any health professional who is prescribing a new medication for you that you are taking CBD100 Isolate.

If you see a different doctor or go into hospital, let them know all the medicines you are taking.

Some medicines may interfere with CBD100 Isolate and affect how it works. Also, CBD 100 may interfere with other medication you may be taking. Please discuss this with your doctor or pharmacist.

Avoid taking CBD100 Isolate with alcohol and/or other CNS depressants/sedatives including prescription medications, e.g. benzodiazepines. Using CBD100 Isolate at the same time as alcohol and/or other sedative drugs may cause more severe levels of impairment and adverse effects.

Check with your doctor or pharmacist if you are not sure about what medicines, vitamins or supplements you are taking and if these affect CBD100 Isolate.

4. How do I use CBD100 Isolate?

How much to take/use

- Follow all directions given to you by your doctor.
- They may differ to the instructions in this leaflet.
- If you do not understand the instruction on the label, ask your doctor or pharmacist for help.
- A titration period is required to reach optimal dose. The number and timing of doses will vary between individuals. Your doctor will provide you with a treatment schedule based on your needs. Always use CBD100 Isolate exactly as your doctor has told you.
- Only a doctor can start you on treatment with CBD100 Isolate. Your doctor will assess you from time to time to see if you should continue taking CBD100 Isolate.
- Your doctor may increase your dosage until a dose is reached which works best for you.
- Note that higher doses of CBD100 Isolate are associated with an increased risk of experiencing side effects.
- Follow the instructions provided and use CBD100 Isolate until your doctor tells you to stop.

When to take / use CBD100 Isolate

- CBD100 Isolate should be used as directed by your doctor.
- CBD100 Isolate can be taken before or after food. However, the dose of CBD absorbed after a high fat meal may be higher than if taken on an empty stomach.

How to use CBD100 Isolate

- Inside the carton you will find oral dosing syringe with a bottle of CBD 100 Isolate. Gently invert the bottle a few times before use to mix the content.
- Remove the bottle cap and the tamper-evident seal from the bottle. If the seal is broken return the product to your pharmacy.
- Insert the oral dosing syringe into the small hole in the adaptor already fitted in the neck of the bottle and press down until it is snug.
- With the oral dosing syringe inserted, turn the bottle upside down and pull the plunger down until the desired amount is reached.
- Turn the bottle right side up and remove the oral dosing syringe by pulling up on the barrel (not the plunger).
- Place the oral dosing syringe in your mouth under your tongue and press in the plunger until the entire contents are emptied. Hold the oil under your tongue for 1 minute before swallowing.
- Alternatively, the oil can be dispensed onto a teaspoon and taken.
- To wash the oral dosing syringe, separate the plunger from the barrel and wash with warm water. Do not clean the oral dosing syringe in the dishwasher. Allow them both to dry completely before the next dose.
- Your dose of CBD100 Isolate is individualized, and the rate and speed of dose adjustment is dependent on each individual response. It is recommended to start low and titrate the dose slowly. The optimal dose is the lowest dose that achieves the highest benefit.
- Follow the instructions provided and use CBD100 Isolate until your doctor tells you to stop.
- If you have any further questions on the use of CBD100 Isolate, ask your doctor or pharmacist.

If you forget to use CBD100 Isolate

CBD100 Isolate should be used regularly at the same time each day. If you have trouble remembering when to use your medicine, talk to your doctor or pharmacist.

If it is almost time for your next dose, skip the dose you missed and take your next dose when you are meant to.

Do not take a double dose to make up for the dose you missed.

If you use too much CBD100 Isolate

If you think that you have used too much CBD100 Isolate, you may need urgent medical attention.

You should immediately:

- phone the Poisons Information Centre (**by calling 13 11 26**), or
- contact your doctor, or
- go to the Emergency Department at your nearest hospital.

You should do this even if there are no signs of discomfort or poisoning.

5. What should I know while using CBD100 Isolate?

Things you should do

- Take CBD100 Isolate as your doctor has prescribed.
- If you are about to start any new medicine, remind your doctor and pharmacist that you are taking CBD100 Isolate.
- Take special care if you drink alcohol while using CBD100 Isolate.

Call your doctor straight away if you:

- Are pregnant or become pregnant while taking CBD100 Isolate.
- Need to have medical tests while you are taking CBD100 Isolate. It may affect the results of some tests.
- Tell your doctor if your symptoms do not improve.

Remind any doctor, dentist, or pharmacist you visit that you are using CBD100 Isolate.

Things you should not do

- Do not stop using this medicine suddenly without telling your doctor. If you stop taking it suddenly or change the dose, your condition may worsen, or you may have unwanted side effects.
- Do not use CBD100 Isolate to treat any other complaints unless your doctor tells you to.
- Do not give your medicine to anyone else, even if they have the same condition as you.

Travelling overseas with CBD100 Isolate

- Check that it is legal for you to take CBD100 Isolate into any countries you are travelling to and countries you are travelling through. CBD100 Isolate is a Prescription Only Medicine in Australia, and its legal status will vary between countries.
- As CBD100 Isolate is a cannabis-based medicine, you should also consider the legal status as this product may contain low levels of delta-9-tetrahydrocannabinol (THC).

Driving or using machines

Be careful before you drive or use any machines or tools until you know how CBD100 Isolate affects you.

CBD100 Isolate may cause dizziness or drowsiness in some people.

As CBD100 Isolate is a cannabis-based medicine, you should also consider any local state laws concerning driving. This product may contain low levels of delta-9-tetrahydrocannabinol (THC).

Drinking alcohol

Tell your doctor if you drink alcohol.

CBD and alcohol may amplify each other's effects and taking both together in high doses may cause sleepiness and sedation.

Looking after your medicine

- Keep your CBD100 Isolate in its packaging until it is time to take it.
- If you leave CBD100 Isolate out of its packaging, it may not keep well.

Follow the instructions provided on the label on how to take care of your medicine properly.

Store it in a cool dry place away from moisture, heat, or sunlight; for example, do not store it:

- in the bathroom or near a sink, or
- in the car or on windowsills.

A cupboard at least one and a half meters above the ground is a good place to store medicines.

Keep it where young children cannot reach it.

Getting rid of any unwanted medicine

If you no longer need to use this medicine or it is out of date, take it to any pharmacy for safe disposal.

Do not use this medicine after the expiry date.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary. However, some side effects may need medical attention.

See the information below and, if you need to, ask your doctor or pharmacist if you have any further questions about side effects.

Less serious side effects

Less serious side effects	What to do
<ul style="list-style-type: none">• daytime drowsiness• dizziness• fatigue• dry mouth• abdominal pain/discomfort• headache• insomnia/hyperactivity• nausea• diarrhoea	Speak to your doctor if you have any of these less serious side effects and they worry you.

Serious side effects

Serious side effects	What to do
Allergy-related: <ul style="list-style-type: none">• swelling of the face, lips, mouth, tongue, or throat which may cause difficulty in breathing• Shortness of breath or difficulty in breathing• Skin reaction which may include rash, itching, redness, blistering or peeling of the skin.	Call your doctor straight away or go straight to the Emergency Department at your nearest hospital if you notice any of these serious side effects.

Tell your doctor or pharmacist if you notice anything else that may be making you feel unwell.

Other side effects not listed here may occur in some people.

Reporting side effects

After you have received medical advice for any side-effects you experience, you can report side effects on **1800 654 327** or via medical@botanitech.com.au. By reporting side effects, you can help provide more information on the safety of this medicine.

Always make sure you speak to your doctor or pharmacist before you decide to stop taking any of your medicines.

7. Product details

This medicine is only available with a doctor's prescription.

What CBD100 Isolate contains

Active Ingredients (Main Ingredient)	cannabidiol (CBD) Each mL of oil contains 100 mg of CBD
Other Ingredients (Inactive Ingredients)	Vitamin E acetate, medium-chain triglycerides (MCT)

Do not take this medicine if you are allergic to any of these ingredients.

What CBD100 Isolate looks like

CBD100 Isolate is presented as a clear, colourless to light yellow oil liquid in an amber glass bottle with a white tamper-evident child-resistant cap.

Each carton contains an amber glass bottle containing 30 mL of oil and an oral dosing syringe for dosing the medicine.

Who distributes CBD100 Isolate

CBD100 Isolate is supplied in Australia by the product Sponsor:

Cannoperations Pty Ltd
(a Cann Group Limited company)
Telephone: 1800 654 327

Email: medical@botanitech.com.au

This leaflet was prepared in March 2025.